

'



# Figure 1a

# PlaneLog.Com Make Maintenance Record






Figure 1b

# PlaneLog.Com Modify Previous Entry





Thanks for visiting our booth at AOPA Expo 2000 in Long Beach, CA. It was great! Please log on for your 30 day free

Web-based Log Books for Aircraft & Pilots

What you need to access the PlaneLog/PilotLog system:

- $l.\ \mbox{A}$  web browser that is capable of understanding html forms and tables. Almost any web browser will suffice.
- 2. Cookies must be enabled on your web browser.
- 3. Caching must be disabled on your web browser.
- 4. Javascript support, while not required, should be enabled on your web browser.

Secure Site supported by



ļ.i ١.٠ ≘ <u>|</u> 

 $202 \rightarrow$ 



#### Web-based Log Books for Aircraft & Pilots!

#### PlaneLog.com Web-based Aircraft and Pilot Logs

PlaneLog.com Aircraft Logs - This is a comprehensive system which will allow one to document the history of the aircraft. The PlaneLog.com system transfers the current paper-based versions of FAA required aircraft logbooks into electronic data files through the use of the world-wide web and electronic databases. The system will allow for all of the necessary engine, airframe, avionics and propeller historical data. Reminder notes are programmed into the system to notify the aircraft owner of up-coming inspections and critical notices. The Standard Version Aircraft Log provides a static list of all AD's and service bulletins applicable to that particular aircraft and it's engine(s) while the Professional Version Aircraft Log provides a continuously updated version of all AD's and service bulletins. A handy organizational binder is also provided with the service.

PlaneLog.com Pilot Logs - Pilotlog is the digital equivalent of the standard pilot logbook and so much more. PlaneLog.com's Pilot Log system will let you know if you are current to fly in certain conditions. Can you remember when your medical bi-annual exam is due or if you have logged 3 take offs and landings for both day and night in the past 90 days? PlaneLog.com's Pilot Log system will let you know as soon as you log on!

#### PlaneLog.com Aircraft and Pilot Logs

#### Enhance Aircraft Value & Boost Aircraft and Pilot Safety!

- \* Secure access password protected
- \* Legible, searchable, retrievable world-wide
- \* No software to install
- No lost log books

Security - PlaneLog.com is a Verisign Company. The most trusted software and hardware currently available in the market provides back-up and security. This aspect of the business will be continually monitored and updated as necessary to insure the integrity of the system and the privacy of our members. PlaneLog.com uses Secure Socket Layer (SSL), an Internet industry standard, and state-of-the-art encryption to keep your personal information secure.

Fee Based Service - There will be an initial set up fee and a monthly access/storage fee. A premium service where the data will be entered by PlaneLog.com staff will be available for an additional fee. Charges will be begin when you complete your log tracking set-up. Standard Fees are as follows. Please note that Fleet/FBO Versions are available with discounts for multiple aircraft.

#### PLANELOG.COM PRODUCTS & PRICING

**PRODUCTS** 

**PRICING** 

PLANELOG.COM Pilot Log

\$99 for Initial Year, \$29 Subsequent Years

PLANELOG.COM AIRCRAFT LOG

STANDARD VERSION\*

Single Engine Twin Engine

\$99 (Initial) plus \$ 22.95 Monthly \$129 (Initial) plus \$ 25.95 Monthly

PLANELOG.COM AIRCRAFT LOG PROFESSIONAL VERSION\*\*

Single Engine Twin Engine

\$149 (Initial) plus \$ 29.95 Monthly \$179 (Initial) plus \$32.95 Monthly

Discounts Apply for Multiple Aircraft

PLANELOG.COM AIRCRAFT LOG FLEET/FBO VERSION

Call 87-PLANELOG (877-526-3564) for Pricing

### \*STANDARD VERSION INCLUDES STATIC LIST OF AD'S AND SERVICE BULLETINS

\*\*PROFESSIONAL VERSION PROVIDES CONTINUOUSLY UPDATED LIST OF AD'S AND SERVICE BULLETINS

**CONTINUE** 

Copyright 2000 - PlaneLog.com

210



230

PLANELOG.COM PRODUCTS & PRICING						
PRODUCTS	QUANTITY	UNIT PRICING	PRICE			
PiloLog	0 10	\$99 (yearly)*	\$[0.00			
STANDARD VERSION PLANELOG.COM AURCRAFT LOG**						
Single Engine	0 10	\$99 (initial set-up) plus \$22.95 monthly	\$ 0.00			
Twis Engine	0 : 0	\$129 (initial ast-up) plus \$25.95 monthly	\$[0.00]			
PROFESSIONAL VERSION PLANELOG.COM AIRCRAFT LOG***						
Single Engine	0 19	\$149 (initial set-up) plus \$29.95 monthly	\$ 0.00			
Twin Engine	<del></del>	\$179 (initial set-up) plus \$32.95 monthly	\$0.00			
PLEET/FBO VERS Discounts Apply for	ION PLANELOG.CC Multiple Aircraft	DAY AIRCRAFT LOO	Call 87-PLANELOG (877-526-3564) for pricing			
			INITIAL TOTAL \$ 0.00 (billed at time of order)			
			MONTHLY TOTAL \$[0.00 (billed after Lat month)			

\*\*PIRALING IS 399 for the FIRS Year, \$29 Subsequent Years

\*\*\*Sandard Version Include Static List of AD's and Service Bulletins

\*\*\*APPOCESSIONAL YERSON Provides Continuously Updated List of AD's and Service Bulleting

\*\*Thank You for Using Bland or com Wide Bulleting

\*\*Thank You for Using Bland or com Wide Bulleting

\*\*Thank You for Using Bland or com Wide Bulleting

\*\*Thank You for Using Bland or com Wide Bulleting

\*\*Thank You for Using Bland or com Wide Bulleting

\*\*Thank You for Using Bland or com Wide Bulleting

\*\*Thank You for Using Bland or com Wide Bulleting

\*\*Thank You for Using Bland or com Wide Bulleting

\*\*Thank You for Using Bland or com Wide Bulleting

\*\*Thank You for Using Bland or com Wide Bulleting

\*\*Thank You for Using Bland or com Wide Bulleting

\*\*Thank You for Using Bland or com Wide Bulleting

\*\*Thank You for Using Bland or com Wide Bulleting

\*\*Thank You for Using Bland or com Wide Bulleting

\*\*Thank You for Using Bland or com Wide Bulleting

\*\*Thank You for Using Bland or com Wide Bulleting

\*\*Thank You for Using Bland or com Wide Bulleting

\*\*Thank You for Using Bland or com Wide Bulleting

\*\*Thank You for Using Bland or com Wide Bulleting

\*\*Thank You for Using Bland or com Wide Bulleting

\*\*Thank You for Using Bland or com Wide Bulleting

\*\*Thank You for Using Bland or com Wide Bulleting

\*\*Thank You for Using Bland or com Wide Bulleting

\*\*Thank You for Using Bland or com Wide Bulleting

\*\*Thank You for Using Bland or com Wide Bulleting

\*\*Thank You for Using Bland or com Wide Bulleting

\*\*Thank You for Using Bland or com Wide Bulleting

\*\*Thank You for Using Bland or Com Wide Bulleting

\*\*Thank You for Using Bland or Com Wide Bulleting

\*\*Thank You for Using Bland Or Com Wide Bulleting

\*\*Thank You for Using Bland Or Com Wide Bulleting

\*\*Thank You for Using Bland Or Com Wide Bulleting

\*\*Thank You for Using Bland Or Com Wide Bulleting

\*\*Thank You for Using Bland Or Com Wide Bulleting

\*\*Thank You for Using Bland Or Com Wide Bulleting

\*\*Thank You for Using Bland Or Com Wide Bu

250

(and required to set up a taser or for 30-day Flot Log free trial)

Cardisclorf a Name
Card State (and )

Expiration Date (nam/yyyy)
Card Billing Zip Code

Lat Name
First Name
Middle Name (Init.)

Address (Line 1)
Address (Line 2)
Cardisclore State

Zip Code
Telephone
Email

Cardisclore A Recreational Private Commercial ATP

167 Ye No
class: and ascs and sense
lastrete ground cft of it mel
hasterest ground cft of it mel
hasterest ground cft of it mel

- Agreement. When you log on to the PlancLog.com system, you agree to all the terms and conditions on this page and in
  the written documentation accompanying the PlancLog.com system.
- The web program is provided as is. No warranty is represented with the PlaneLog.com system. The system has been tested and all components have been found to be working property. If you have questions or suggestions, please call us toll five at 87-PLANELOQ.
- 3. Deplication Obscallmer Statement If Aviation Log Services, Inc. deplicates this information, Aviation Log Services, inc. does not between themse any statement whatenesse as to the authenticity or accuracy of these entries. The user understands that these reproductions are seast deplicates of information provided to Aviation Log Services, line, by the occurrence and se such no representation as to accuracy is hereafter made, intended or implied. Any discrepancies noted in entries as to actual work performed are the sole responsibility of the performation and the sole responsibility of the performation are the sole responsibility of the performation are the sole responsibility of the performation are the sole responsibility of the performation and the sole responsibility of the performation and the sole responsibility of the performance of the sole responsibility of the performance and the sole respon
- 4. Limitation of Liability, Under no circumstances including negligenou, shall Aviation Log Services, Inc. notherway or products be liable for any incidental, special or consequential damages that needs from the use or leability to use the software or shaded documentation, even if an Aviation Log Services, for, autorized opportunities that bean advised of the possibility of such damages. Some jurisdictions do not allow the limitation or exclusion of liability for incidental or consequential damages so the shore timitation have not not only to the product of the produ
- In no event shall Aviation Log Services, Inc's total liability to you for all damages, losses, and causes of action (whether in contract, but (including nepligance) or otherwise) account paid by you for the program.

Copyright 2000 . PlaneLes.can

Figure 2a2







## Web-based Log Books for Aircraft & Pilots!

AOPA EXPO offer: Try PlaneLog's Pilot Log free for 30 days, at the end of 30 days we will e-mail you and ask if you would like to continue or cancel. Only then will your credit card be charged.

First, select a user name and password.





Log In: User Name

Password

PlaneLog Pilottog 211

212 213

egend geen and the country of any country of the form them the state of the country of the count

# Figure 3



### Web-based Log Books for Aircraft & Pilots

The buseu bog books for Aller Med Hots.			
211 201 User Client 10 Logged In	PilotLog   Modify User	Details   Change Pass	word   Logout
Manage Owned Aircraft — 301  N123PG			21
Manage Maintained Aircraft No records found.			· -
Manage Owned Unattached Engines 303  No records found. Enter new engine			
Manage Owned Appliances 304 No records found. Enter new appliance		<del></del>	

Copyright 2000 - PlaneLog.com

# Figure 4



## Web-based Log Books for Aircraft & Pilots!

PlaneLog | PilotLog | Contact | Logout

N123PG305	
1993 American General AG5B	Attached Engines:
370 380 390  Modify Aircraft   Weight & Balance   AD/SB	No records found.
Lost Enters December 4 2000 -	Mount an Engine:
Last Time (TTAF): 1200.00 315	No records found.
Alerts: Out of Annual   \$\Display = 308	
Lin Parine (Airbina Los) (Malo Parin	Attached Appliances:
List Entries Make Entry	No records found.
310 311 312 313	
Quick Search Go 314	
Event Search - none -	

Copyright 2000 - PlaneLog.com

Xpndr / Node C Test Weight & Balance FLT Service


-406

Post Tog Entry

Web-based Log books for  N123PG - Log Entry	Alicalterios.		Contact   Lonout   Mil	
30		401		-
ICliant 10	ame: Unk	Unknown	Privs Unknown Repair Cert. A & P I.A. Private	
Repair Stations Work Orders	403 404			• . •
Current Date IS NOT Act Date (use date shown below):		yı	·	•
Month: (January (1-2))  Year: (7000)(1-14-1-2)	420			405
Use current Tachometer Ac Override Current Tachome prior to installation of the current t Replace Current Tachomet physical tachometer replacement):	Justment to compute Totalier Adjustment (use TTAF	shown below - use for histo	rical entries, specifically those made tachometer adjustment — used for	•
TTAF: When	∵ : . Lshould I enter a total time?		:	
Events General Events: - none - Flight Test Annual Inspection	Major Events (form 337 - none - STC Modification Major Alteration (no	- none	is Check	<del></del>

٠,





201

Figure 6



# Figure 7



### Web-based Log Books for Aircraft & Pilots!

305

PlaneLog | Contact | Logout | aircraft page

506A

### N123PG -- Log Entry Details

Aircraft:

N123PG

001450

Serial: Date:

December 5, 2000

Tach:

1401.00

Total Time:

1401.00

Entry Auth:

A. Body

Auth Cert #:

123456789

Auth Cert:

A & P

Administrative Data

Date Entered:

December 5, 2000

Entering User:

Client10 - Client 10

This entry has been modified 3 times

The last modification was done for this reason:

Add Part Number

Modify Entry

709

### Entry:

Removed nosefork, serviced & install new washers.PN 1234. Adjust fork tension. Installnew o ring in primer, remove fuel selector, install new o-rings & lube reinstall. Ops check above ok A. Body A&P 123456789

32

Copyright 2000 - PlaneLog.com



## Figure 7A



706

## Web-based Log Books for Aircraft & Pilots!

305

PlaneLog | Contact | Logout |

aircrast page

### N123PG -- Log Entry Details

Aircraft:

N123PG

001450

Serial: Date:

December 4, 2000

Tach:

1200.00

**Total Time:** 

1200.00

Client 10 Entry Auth:

Auth Cert #:

123546789

**Auth Cert:** 

Private Pilot

Modify Entry

This is an original entry

Date Entered:

**Entering User:** 

December 4, 2000

Client 10 -- Client 10

Administrative Data

Entry:

506A

ُولُورُ AD 78-23-01 by inspection and operation of fuel drain level door. Reoccurring inspection is due each 100 hrs. C/W AD 9526-13 by inspection of oil rooler hoses in accordance with AMOC #1, Hoses are airworthy at this time. C/W Ap 90-02-23L by inspection of Prop hub for cracks. Reoccurring inspection due Every 50 hours or every 50 flights, which ever comes first. Dressed and painted prop. C/W AD 76 07-12 by ops check of bendix mag switch. Reoccurring inspection ti due each 100 hrs. Installed hardware on throttle control cable end at throttle and on fuel servo as illustrated in AD 80-14-02 and SB 537. Replaced Bottom left engine vibration dampener. Resealed right and left main gear strut, serviced with fresh Hyd oil & nitrogen, Serviced nose strut with fluid & mitrogen. Resealed left brake wheel cylinder. Lubed landing gear. Cleaned and replaced all wheel bearings. Serviced tires with air pressure. Replaced wheel fairings studs and retainers as needed. Replaced left inboard sump valve. Zip tied loose wires for stall warning. Replaced vac regulator filter adjusted tension of control yoke cross over chain. Lubed all pulleys, hinges, rod ends, serviced fuel strainer. Installed missing strainer filte spring. Inspected ELT in accordance with FAR 91.207(d) Elt Battery is due June 1988. Washed lead from bottom of A/C. Serviced Battery & brake res. Ground run- ops normal. I certify that this aircraft has been inspected in accordance with an annual inspection and was determined to be in airworthy condition. A. Body 123456789 A/P



Planalog | Contact | Locout |

N123PG - Log Entry Modification

Original Entry 901

Date Date Entered in System Tach		Tach	Total Time	Entry .
December 5, 2000		1400.00	1400.00	Removed nosefork, serviced & install new washers. Adjust fork tension. Installnew oring in primer, remove file selector, install new o-rings & lube reinstall. Ops check above ok A. Body A&P 123456789

-902 Log Entry History -

Date	Date Entered in System	Tach :	Total Time	Entry	Reason for Change
December 5, 2000	•	1400.00	1400.00	Removed nosefork, serviced & install new washers. Adjust fork tension. Installnew o ring in primer, remove fuel selector, install new o-rings & lube reinstall. Ops check above ok A. Body A&P 123456789	Correct Total Time
December 5, 2000	·	1401.00	1401.00	Removed nosefork, serviced & install new washers. Adjust fock tension. Installnew o ring in primer, remove fuel selector, install new o-rings & lube reinstall. Ops check shove ok A. Body A&P 123456789	Correct Total Time
December 5, 2000		1401.00	1401.00	Removed nosefork, serviced & install new washers. PN 1234. Adjust fork tension. Installnew o ting in primer, remove fuel selector, install new o-rings & lube reinstall. Ops check above ok A. Body A&P 123456789	Add Part Number

Modify Entry 903						
Authorizing User: Name: A. Body Client 10 other>> Cert #: 12345678	Unknown	Unknown	Priv: Unknown Repair Cart A & P IA Private	'n		
Repair Station: Work Order:						
Date Listed IS NOT Actual Leg Entry Date (use due shows below): December 5, 2000  Month: Day: Year:	Removed mosefo 1234. Adjust primer, remove	Removed mosefork, serviced & install new weakers.FE 1234. Adjust fork tension. Installnes e ring in primer, remove fuel selector, install new e-rings & lube reinstall. Ope check above ck & . Body AMF				
Tach: 1601.00 No Tach Entry:  Override Original Tachometer Adjustment (us  TTAP:	e TTAF shown below):	Yes No				
General Events:  - home - Flight Test Annual Inspection Kinor Repair See Farts Expoir / Mode C Test Weight a Balance EMT Service						

Modify previously entered Weight & Balance Data



Figure 8

Best Available Copy